

Dräger PAS Lite Compressed Air Breathing Apparatus

Safety has never been so simple.

Dräger PAS Lite – Keep operations going with this simple, easy to use and maintain self-contained breathing apparatus.



Whether you are interested in plant maintenance or plant and operational safety, the new PAS Lite from one of the world's largest and most innovative SCBA manufacturers has a lot to offer.

EASY TO MAINTAIN

Reduce downtime and increase productivity. Easy assembly and disassembly, as well as non-absorbent, chemical-resistant materials make cleaning and maintaining the PAS Lite a snap. In a liquid permeability test, the PAS Lite scored 18 times better than traditional SCBAs.

DURABLE COMPONENTS YOU CAN COUNT ON

Strong, durable harness materials and carbon composite space frame and the same pneumatics as found in professional fire fighting breathing apparatus ensure the workers can count on the PAS Lite when they need it. The PAS Lite harness scored five times higher than standard harness materials on the Martindale test for durability.

IMPROVED WEARING COMFORT

We utilized state-of-the-art pressure mapping technology to improve stability and reduce back strain, stress, and fatigue, as well as using a carbon composite space frame and non-metallic buckles to decrease the weight the wearer must carry. The PAS Lite is more than a pound lighter than its predecessor, the Dräger ProAir Evolution.

MINIMIZED COST OF OWNERSHIP

With no electronics, durable space frame and harness and the time you save maintaining your PAS Lite, the cost of keeping the apparatus functioning throughout its lifetime is minimal.



Dräger PAS Lite

Easy to use and maintain



Accessories for every challenge

- Pneumatic gauge with integral high pressure whistle warning in the space frame
- Integrated Lung Demand Valves
- Compatible with Dräger Panorama Nova and FPS 7000 Full Face Masks
- Electronic voice communication options
- Aluminum or carbon composite cylinders
- Secondary supply connections for rescue and decontamination
- Airline-ready options including an integral Dräger PAS ASV
- ChargeAir ready options for fast re-filling of the cylinders
- Easy integration with all Dräger airline equipment

3310260

Minimal cost

of ownership



FPS 7000 full face mask range



RescuePak



PAS ASV Automatic Switch Over Valve

TECHNICAL DATA

Physical Specifications		
Dimensions (H x W x D)	23.2 x 11.4 x 6.3 inches (59 x 29 x 16 cm)	
Weight (including LDV)	5.95 lb. (2.70 kg)	
Weight with Integrated PAS ASV (including LDV)	7.72 lb. (3.50 kg)	
Input Pressure	2216 PSI, 4500 PSI	
Nominal 1st Stage Output Pressure	87-130 PSI	
1st Stage Output Flow	>1000 L/min	
LDV Output Flow	>400 L/min	
Whistle Activation Pressure	554 PSI, 1125 PSI	
Whistle Sound Level	>90 dBA	
Approvals	NIOSH	
ORDERING INFORMATION		
SCBA VARIANTS		
PAS Lite with integrated Lung Demand Valve (LDV)	
PAS Lite – 2216 PSI	,	4046190
PAS Lite – 4500 PSI		4046191
PAS Lite with integrated Lung Demand Valve (LDV)	and integrated Charge-air connection	
Charge-Air Kit 2216 PSI		3354021
Charge-Air Kit 4500 PSI		3359020
PAS Lite with integrated Lung Demand Valve (LDV) and integrated Airline	
complete with an automatic switch over device	_	
PAS Lite Airline 2216 PSI		3358911
PAS Lite Airline 4500 PSI		3358912
ACCESSORIES		
Permanent fit unit for use in conjunction with Dräg	uer PAS Lite	
Breathing Apparatus and an external air supply	,	
Dräger PAS ASV for PAS Lite - permanent fit		on request
Bragor 1710 7104 101 1710 Elle Polimation III		on request
FPS 7000 Facemask		on request
Panorama Nova Facemask		on request
Cylinders		on request
Breathing Apparatus and an external air supply		
LDV Holder		3357527
Breathing Apparatus Hard-shell Carrying Case		4059430
D 11: A 1 0: 0 1: 1/ 1 1	1	0040000

Breathing Apparatus Storage Cabinet (polycarbonate)

П

L

PAS LITE IN

HEADQUARTERS

Dräger Safety AG & Co. KGaA Revalstrasse 1 23560 Lübeck, Germany

www.draeger.com

SUBSIDIARIES

CANADA
Draeger Canada Ltd.
7555 Danbro Crescent
Mississauga,
Ontario L5N 6P9
Tel +1 905 821-8988
Fax +1 905 821-2565

Customer Service Tel 877 372 4371 Fax 800 329 8823

MEXICO

Draeger Safety S.A. de C.V.
Carretera San Luis Potosi Km 21
Bodega No. 1 y 2
"Condominio Industrial
Santa Rosa Bloque SMED"
Querétaro
Qro México CP 72220
Tel +52 442 246-1113
Fax +52 442 246-1114

USA

Draeger Safety, Inc. 101 Technology Drive Pittsburgh, PA 15275 Tel +1 412 787-8383 Fax +1 412 787-2207

Customer Service Tel 800 858 1737 Fax 800 922 5519

Technical Service Tel 888 794 3806 Fax 888 794 3807